



Certificate of Analysis

Product Description: 40x Aloe Vera

Manufacturing Date: 09/2025

Product Item #: 2150

Expiration Date: 02/2027

OBN Lot #: 97256B

Certification: None

Serving Size: 0.17oz

Ingredients: Aloe Vera Gel

Heavy Metals

Product Profile	UOM	Method	Result	Test Location	Lab Reference #	Report Date
Arsenic:	ppm	ICP-MS	0.114	Advanced Labs	284329-01	10/15/2025
Cadmium:	ppm	ICP-MS	0.015	Advanced Labs	284329-01	10/15/2025
Lead:	ppm	ICP-MS	0.017	Advanced Labs	284329-01	10/15/2025
Mercury:	ppm	ICP-MS	0.005	Advanced Labs	284329-01	10/15/2025

Micros

Product Profile	UOM	Method	Result	Test Location	Lab Reference #	Report Date
Total Plate Count:	cfu/g	AOAC@ 990.12	100	In-house	98148	9/5/2025
Yeast & Mold:	cfu/g	AOAC@ 2014.05	<100	In-house	98148	9/5/2025
Coliforms:	cfu/g	AOAC@ 991.14	<100	In-house	98148	9/5/2025
E. coli:	cfu/g	AOAC@ 991.14	Negative	In-house	98148	9/5/2025
Staphylococcus aureus:	cfu/g	AOAC@ 2003.07	Negative	In-house	98148	9/5/2025

Other

Product Profile	UOM	Method	Result	Test Location	Lab Reference #	Report Date
Gluten:	ppm	AOAC OMA 2012.01	<20PPM	In-house	98148	09/5/2025

Storage: Store container in a cool and dry place away from light, water, humidity, and extreme variations in temperature.

Approved By:

Ana Avellandea Quality Manager

Date:

10/23/25

For questions please submit a ticket at:

<http://bitly.com/AskPurium>